

Validation of the Patient Reported Outcomes Burdens and Experiences (PROBE) Study Questionnaire

M. Skinner^{1,2}, C. Chai-Adisaksopha³, B. O'Mahony^{4,5}, D. Noone^{6,7}, R. Curtis⁸, N. Frick⁹, M. Nichol¹⁰, D. Page¹¹, J. Stonebraker¹², A. Iorio^{2,3} for the Patient Reported Outcomes Burdens and Experiences Study Group

¹Institute for Policy Advancement Ltd, Washington DC, United States; ²McMaster University, Department of Health Research Methods, Evidence, and Impact, Hamilton, Canada; ³McMaster University, Department of Medicine, Hamilton, Canada; ⁴Irish Haemophilia Society, Dublin, Ireland; ⁵Trinity College Dublin, Dublin, Ireland; ⁶Health Decisions Consultants, Dublin, Ireland; ⁷European Haemophilia Consortium, Brussels, Belgium; ⁸Factor VIII Computing, Berkeley, United States; ⁹National Hemophilia Foundation, New York City, United States; ¹⁰University of Southern California, Sol Price School of Public Policy, Los Angeles, United States; ¹¹Canadian Hemophilia Society, Montreal, Canada; ¹²North Carolina State University, Poole College of Management, Raleigh, United States

Background

A substantial need exists to improve capacity to collect and interpret relevant Patient Reported Outcome (PRO) data to support patient-centered research and optimal care in People With Hemophilia (PWH).

Aims

- Implement structured data collection of PRO across countries to build a robust evidence base for comparative effectiveness research, evidence-based decision making and advocacy. (Fig 1)
- Explore the measurement properties of the PROBE questionnaire and validity to implement PROBE for assessing health status among PWH and participants without bleeding disorders across regions. (Fig 2)

Methods

- Data collection April 2015 to February 2017
- 2,101 surveys collected through all study phases across 24 countries
- Clinical Trial registration: NCT02439710

Results

- Outcomes of importance to PWH and metrics to consider for measurement were determined. (Table 1)
- The PROBE questionnaire consists of four major sections (demographic data, general health problems, hemophilia-related health problems and health-related quality of life).

Conclusions

- The PROBE questionnaire assesses patient-important outcomes in PWH and control participants, with a demonstrated short completion time using both paper and electronic versions.
- PROBE proved the feasibility to engage diverse patient communities in the structured generation of real-world outcome research at all stages.
- Results demonstrate that the PROBE questionnaire is valid to implement for assessing PROs and health status among PWH and participants without bleeding disorders across regions.
- The known group property of PROBE will allow its use in future clinical trials, longitudinal studies, health technology assessment studies, routine clinical care or registries.

References

1. Skinner MW, et al. *Pilot and Feasibility Studies*. (2018) 4:58. doi: 10.1186/s40814-018-0253-0
2. Chai-Adisaksopha C, et al. *Haemophilia*. (2019) 25:75-83. doi: 10.1111/hae.13649
3. Chai-Adisaksopha C, et al. *BMJ Open* (2018) 8:e021900. doi: 10.1136/bmjopen-2018-021900
4. Chai-Adisaksopha C, et al. *Haemophilia*. (2019) 25:365-372. doi: 10.1111/hae.13703

Acknowledgements

We thank the participating patient organizations: Fundación de la Hemofilia (Argentina) Cordoba Chapter; Hemophilia Foundation Australia (Australia); Federação Brasileira de Hemofilia (Brazil); Canadian Hemophilia Society (Canada); Association Française des Hémophiles (France); Deutsche Hämophiliegesellschaft (Germany); Magyar Hemofilia Egyesület (Hungary); Irish Haemophilia Society (Ireland); Federazione delle Associazioni Emofilici (Italy); National Hemophilia Network of Japan (Japan); Federación de Hemofilia de la República Mexicana (Mexico); Nederlandse Vereniging van Hemofilie- Patiënten (The Netherlands); Haemophilia Foundation of New Zealand (New Zealand); Haemophilia Foundation of Nigeria (Nigeria); Polish Hemophilia Society (Poland), Federación Española de Hemofilia (Spain); The Haemophilia Society (United Kingdom); National Hemophilia Foundation (United States); Asociación Venezolana para la Hemofilia (Venezuela) and Vietnamese Hemophilia Association (Vietnam).

PROBE is an independent investigator led research project with grant / research support from: Bayer, CSL, Novo Nordisk, Roche, Sanofi, Sobi, Takeda and collaboration of the US National Hemophilia Foundation and McMaster University.

www.probestudy.org ▼ info@probestudy.org



Figure 1

Intermediate Objects

Develop a patient-led research network¹



Perform a feasibility study of implementing the PROBE questionnaire¹



Develop a standardized questionnaire to gather PRO¹

Figure 2

PROBE Questionnaire Validation Studies

Face validity, relevance, clarity and completeness¹



Test-Retest reliability (reproducibility)²



Core analytic framework³



Cross-cultural validation⁴



Table 1

Patient Important Outcomes for PWH and Measurement Metrics

Outcomes of Importance	Metrics
Reduced burden of living with hemophilia	
Life, Family	Family life, Marital status, Children, Current health status (HRQoL)
Education/school, Employment	Attendance, Educational attainment, Employment duration, Underemployment
Activities	Impact on daily living, Activities of daily living, Mobility impairment, Assistance required
Reduced complications associated with hemophilia and treatment	
Joint disease	Joint status
Pain, Depression/Anxiety	Pain (chronic, acute, interference with activity, timing, medication), Depression
Other comorbidities, HIV/HCV, Obesity	Resource utilization, Mortality, Longevity